

F07Z07NDDC-NFS

Home | Security | Lenses | Varifocal

F07Z07NDDC-NFS

F1.3/7.5-50mm DC Lens/var. Focal Length with No Focus Shift,

1/3" CS Mount

Art-Nr. 43249



Main Features

Suitable for 1/3" and 1/4" colour and b&w cameras
No-focus-shift from visible to near IR light range
Variable focal length
Aspherical lens elements
CS mount

High standard of optical and mechanical quality
Without built-in auto iris amplifier
With 4 pin connector
Adjustable slip-ring mount for cable positioning

Specifications

Lens type	varifocal
Application range	day/night
Day/Night	yes
Megapixel	no
Aspherical technology	yes
Nominal format size	1/3"
Flange focal length	12.5mm
Mount	CS
Slip-ring mount	340° ~360° Variable adjustment range
Focal length	7,5 mm - 50 mm
Horizontal angle of view	36,6° - 5,64°
MOD (Minimum object distance)	0,4 m
Aperture range (F)	F1.3~F240
Iris control	DC

F07Z07NDDC-NFS


(Continuation Specifications)

Focus constant range	+0.05mm at f7.5; +0.04mm at f30; +0.07mm at f50mm (Focus deviation at switch-over to IR light at 850nm)
Screw-in depth	4.4mm
Filter screw size	not available
Cable length	approx. 20cm
4-pin plug	Standard
Temperature range (operation)	-20°C ~+50°C
Length	55,2 mm
Diameter	38 mm
Radius	27,2 mm
Dimensions (LxDxH)	See drawing
Weight	68g

F07Z07NDDC-NFS

Home | Security | Lenses | Varifocal

Technical drawing



Maße/Dimensions: mm

SLD Security & Communications
The Old Forge, Ockham Lane, Ockham, Surrey GU236PH England
Phone +44.1483225633 · Fax +44.1483225634
sales@sld.co.uk · www.sld.co.uk

