

# YV2.8X2.8LASA2L

Home | Security | Lenses | Varifocal

YV2.8X2.8LASA2L  
F0.95/2.8-8mm DC, 1/3" CS Mount,

Variable Focal Length

**Art-Nr. 45254**



## Main Features

Suitable for 1/3" and 1/4" colour and b&w cameras  
High Resolution Lens  
Super Dynamic Aperture Range  
Aspherical lens elements  
Compact Design

Locking mechanism for focus and zoom  
CS mount  
With 4-pin connector  
Adjustable slip-ring mount for cable positioning

## Specifications

Lens type	varifocal
Day/Night	no
Megapixel	no
Aspherical technology	yes
Nominal format size	1/3"
Flange focal length	12.5mm
Mount	CS
Slip-ring mount	340° ~360° Variable adjustment range
Focal length	2,8 mm - 8 mm
Horizontal angle of view	99,9° - 35,2°
MOD (Minimum object distance)	0,3 m
Aperture range (F)	F0.95~T360
Iris control	DC
Screw-in depth	5mm
Filter screw size	not available

# YV2.8X2.8LASA2L

(Continuation Specifications)

<b>Cable length</b>	approx. 23cm
<b>4-pin plug</b>	Standard
<b>Temperature range (operation)</b>	-10°C ~+50°C
<b>Length</b>	38,3 mm
<b>Diameter</b>	32,6 mm
<b>Radius</b>	28,5 mm
<b>Weight</b>	45g

SLD Security & Communications  
The Old Forge, Ockham Lane, Ockham, Surrey GU236PH England  
Phone +44.1483225633 · Fax +44.1483225634  
sales@sld.co.uk · www.sld.co.uk

