

VMC-5.6/2-LCD

Home | Security | Monitors | TFT/LCD

VMC-5.6/2-LCD
5,6''(14,3cm) LCD/TFT Monitor, 640x480,
2x Composite, 2x Audio, 12VDC

Art-Nr. 90567



Main Features

Screen size: 5.6''(14.3cm)
PAL/NTSC Auto Selection
Resolution of 640x480 Pixels
2 video and audio inputs
On-screen Menu Control

Integrated speaker
Supply voltage: 12 to 30VDC
Low power consumption
Rugged plastic housing with table stand

Specifications

Video standard	PAL / NTSC (auto selection)
Synchronization	internal
Display element	Colour TFT/LCD, Pixel size: 0.1764 (H) x 0.0588 mm (V), Total no. of pixels: 307,200
Screen size	5.6''
Screen Size (cm)	14.3 cm
Active area	112.896 (H) x 84.672 (V) mm
Horizontal resolution	640 pixels (RGB triple: 3x 640 px.)
Vertical resolution	480 pixels
Resolution pixels	640 x 480
Contrast ratio typical	500:1
Brightness typical	200 cd/m ²
Viewing angle vertical	120°
Viewing angle horizontal	140°

VMC-5.6/2-LCD

(Continuation Specifications)

Light source	LED
Response time typical	25 ms, (tr: 10 / tf: 15)
PC interfaces	no
Video inputs (type)	composite (CVBS)
Video inputs	2x 1Vp-p, (C)VBS, 75ohms, Cinch adapter cable
Audio inputs	2, 30mVss ~100mVss
Loudspeaker	Built-in
OSD function control	volume, contrast, brightness, colour, colour intensity, sharpness
Menu languages	English
Supply voltage	12 ~30VDC
Power consumption	4.6watts
Operations (Front part)	Power ON/OFF, Mode, Channel A/B selection/Cursor buttons
Operations (back part)	main power switch
Temperature range (operation)	0°C ~+50°C
Housing material	plastic
Colour (housing)	anthracite
Dimensions (HxWxD)	see drawing
Weight	470g
Parts supplied	Plugable PSU 100~240VAC, Table stand, Connection cables
Certificates	CE



Optional accessories

83450	A14	BNC Jack/Cinch Plug Adapter
-------	-----	-----------------------------

VMC-5.6/2-LCD

Home | Security | Monitors | TFT/LCD

Technical drawing



Maße/Dimensions: mm

SLD Security & Communications
The Old Forge, Ockham Lane, Ockham, Surrey GU236PH England
Phone +44.1483225633 · Fax +44.1483225634
sales@sld.co.uk · www.sld.co.uk

